

AQUIFER CHANNELIZATION

REFERENCES CITED

- Aiken GR and Kuniandy EL (eds). 2002. US Geological Survey Artificial Recharge Workshop Proceedings, April 2-4, 2002, Sacramento, California. *US Geological Survey Open-File Report 02-89*; 88. <http://water.usgs.gov/ogw/pubs/ofr0289/index.htm>
- Bacchus ST. 1996. Hydroecological approaches for determining and monitoring sustainable yield of groundwater resources in karst aquifers. In *Proceedings of the International Conference on Water Resources and Environment Research: Towards the 21st Century, October 29-31, 1996*. Kyoto University, Kyoto, Japan; 619-626.
- Bacchus ST. 2000a. Predicting nearshore environmental impacts from onshore anthropogenic perturbations of ground water in the southeastern Coastal Plain, USA. In *Interactive Hydrology: Proceedings of the 3rd International Hydrology and Water Resources Symposium of the Institution of Engineers, Australia, 20-23 November 2000 Perth, Western Australia*; 609-614.
- Bacchus ST. 2000b. Uncalculated impacts of unsustainable aquifer yield and evidence of subsurface interbasin flow. *Journal of the American Water Resources Association* 36(3): 457-481.
- Bacchus ST. 2001. Knowledge of groundwater responses - A critical factor in saving Florida's threatened and endangered species. Part I: Marine ecological disturbances. *Endangered Species Update* 18(3): 79-90.
- Bacchus ST. 2002. The 'ostrich' component of the multiple stressor model: Undermining Florida. In Porter JW and Porter KG (eds) *Everglades, Florida Bay, and Coral Reefs of the Florida Keys: An Ecosystem Sourcebook*. CRC Press; 669-740.
- Bacchus ST, Archibald DD, Brook GA, Britton KO, Haines BL, Rathbun SL, Madden M. 2003. Near infrared spectroscopy of a hydroecological indicator: New tool for determining sustainable yield for Floridan aquifer system. *Hydrological Processes* 17:1785-1809.
- Bacchus ST and Brook GA. 1996. Geophysical Characterization of Depressional Wetlands: A First Step for Determining Sustainable Yield of Groundwater Resources in Georgia's Coastal Plain. *Technical Completion Report*, the University of Georgia, Athens, Georgia, in cooperation with the Environmental Resources Center, Georgia Institute of Technology, Atlanta, Georgia, USA; 36 + Appendices.
- Bacchus ST, Brook GA, Hamazaki T. 1997. Early Signs of Stress in Wetland Vegetation as an Indicator of Unsustainable Groundwater Use in the Southeastern Coastal Plain. *Technical Completion Report ERC 02-97, USDI/USGS Project 1434-HQ-96-GR02664*, in cooperation with the Environmental Resources Center, Georgia Institute of Technology, Atlanta, Georgia; 50 + Appendices.
- Bacchus ST, Hamazaki T, Britton KO, Haines BL. 2000. Soluble sugar composition of pond-cypress: A potential hydroecological indicator of groundwater perturbations. *Journal of the American Water Resources Association* 36(1): 55-65.
- Barile PJ. 2004. Evidence of anthropogenic nitrogen enrichment of the littoral waters of east central Florida. *Journal Coastal Research* 20(4): 1237-1245.
- Beck BF (ed). 1989. Engineering and Environmental Impacts of Sinkholes and Karst. *Proceedings of the Third Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts Karst, St. Petersburg Beach, Florida, 2-4 October 1989*. A. A. Balkema Publishers, Brookfield, VT; 384.

AQUIFER CHANNELIZATION

- Belin JI, McCaskey TA, Black MC. 2000. Evaluating the efficiency of toxicity abatement in a constructed wetland with *Ceriodaphnia dubia*. *Journal of Toxicology and Environmental Health, Part A*, 60:137-151.
- Bell JW, Amelung F, Ramelli AR, Blewitt G. 2002. Land subsidence in Las Vegas Nevada, 1935-2000: New geodetic data show evolution, revised spatial patterns, and reduced rates. *Environmental & Engineering Geoscience* 8(3):155-174.
- Black MC and Belin JI. 1998. Evaluating sublethal indicators of stress in asiatic clams (*Corbicula fluminea*) caged in an urban stream. *Environmental Toxicology and Risk Assessment* 7:76-91.
- Black MC and McCarthy JF. 1990. Effects of sublethal exposure to chlorine on the uptake of polychlorinated biphenyl congeners by rainbow trout, *Salmo gairdneri* (Richardson). *Aquatic Toxicology* 17:275-289.
- Brown LJ, Dravid PN, Hudson NA, Taylor CB. 1999. Sustainable groundwater resources, Heretaunga Plains, Hawke's Bay, New Zealand. *Hydrogeology Journal* 7: 440-453.
- Bush PW and Johnston RH. 1987. Ground-Water Hydraulics, Regional Flow, and Ground-Water Development of the Floridan Aquifer System in Florida and in Parts of Georgia, South Carolina, and Alabama. *US Geological Survey Professional Paper* 1403-C; 80 + 17 plates.
- Campbell KR. 1995. Chromium accumulation in three species of central Florida centrarchids. *Bulletin of Environmental Contamination and Toxicology* 54:185-190.
- Cedergren HR. 1989. *Seepage, Drainage, and Flow Nets - Third Edition*, John Wiley and Sons, New York, NY; 465.
- Clark JF, Bennett MW, Murrell MT, Stute M, Rademacher LK. 2004. Timescale of seawater circulation and dolomitization within the lower Floridan aquifer. In Innovative Tracer Applications in Hydrogeology: New Techniques, Design and Interpretation Methods, and Case Studies I, 2004 Denver Annual Meeting (November 7-10, 2004): Geological Society of America. http://gsa.confex.com/gsa/2004AM/finalprogram/abstract_75515.htm
- Connors DE and Black MC. 2004. Evaluation of lethality and genotoxicity in the freshwater mussel *Utterbackia imbecillis* (Bivalvia: Unionidae) Exposed singly and in combination to chemicals used in lawn care. *Archives of Environmental Contamination and Toxicology* 46:362-371.
- Cunningham KJ, Locker SD, Hine AC, Bukry D, Barron JA, Guertin LA. 2001. Surface-Geophysical Characterization of Ground-Water Systems of the Caloosahatchee River Basin, Southern Florida. *US Geological Survey Water Resources Investigation Report* 01-4084; 76.
- Davies GJ, Kincaid TR, Hazlett TJ, Loper D, Dehan R, McKinlay C. 2004. Why do quantitative groundwater tracing? In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 134.
- Denizman C, Kincaid TR, Arthur J., Dehan R, Jablonski JF, Jarrod M. 2004. Karst development in Florida: Spatial analyses based on subsurface and surficial karst databases in GIS. In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 134.
- Dobecki TL and Hare JL. 2004. Geophysics as an integral part of the aquifer storage and recovery process. In *Aquifer Storage Recovery IV: Science, Technology, Management and Policy, Holiday Inn Busch Gardens Tampa, Florida - April 15-16, 2004* American Ground Water Trust, FDEP/Florida Geological Survey, Hydrogeology Consortium and International Association of Hydrogeologists; 13.

AQUIFER CHANNELIZATION

- Fernald EA and Purdum ED (eds). 1998. Water Resources Atlas of Florida. *Institute of Science and Public Affairs*, Florida State University; 312.
- Fitterman DV and Deszca-Pan M. 1999. Geophysical mapping of saltwater intrusion in Everglades National Park. In Gerould S and Higer A (Compilers) *US Geological Survey Program on the South Florida Ecosystem - Proceedings of South Florida Restoration Science Forum, May 17-19, 1999, Boca Raton, Florida. US Geological Survey Open-File Report 99-181*; 16-17.
- Florida Geological Survey. 2004. *Aquifer Storage and Recovery IV - Science, Technology, Management and Policy, Tampa, Florida, April 15-16, 2004*. Special Publication 54.
- Ford DC and Williams PW. 1989. *Karst Geomorphology and Hydrology*. Unwin Hyman, Ltd.: London, U. K; 601.
- Garcia-Bengochea JI and Muniz A. 1989. Aquifer storage recovery (ASR): A potential solution to the eutrophication of Florida's Lake Okeechobee. In *Proceedings of the International Symposium on Artificial Recharge of Ground Water, Anaheim, California, August 23-27, 1988*; 122-131.
- Godfrey RK. 1988. *Trees, Shrubs, and Woody Vines of Northern Florida and Adjacent Georgia and Alabama*. University of Georgia Press: Athens, Georgia; 734.
- Hazlett TJ, Kincaid T, Loper D, Davies GJ, Dehan R, McKinlay C. 2004. Realistic numerical modeling of ground-water flow based on quantitative site characterization in the Woodville Karst Plain of North Florida. In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 31.
- Henry TB, Kwon J-W, Armbrust KL, Black MC. 2004. Acute and chronic toxicity of five selective serotonin reuptake inhibitors in *Ceriodaphnia dubia*. *Environmental Toxicology and Chemistry* 23(9):2229-2233.
- Hofstetter RH and Sonenshein RS. 1990. Vegetative Changes in a Wetland in the Vicinity of a Well Field, Dade County, Florida. *US Geological Survey Water-Resources Investigations Report 89-4155*; 16.
- Holland EA, Bertman SB, Carroll MA, Guenther AB, Shepson PB, Sparks JP, Barney K, Lee-Taylor J. 2004. A US Nitrogen Science Plan: Atmospheric-Terrestrial Exchange of Reactive Nitrogen. *University Corporation for Atmospheric Research*, Boulder, Colorado; 38.
- Hutchings B, Vacher HL, Budd D. 2004. The effects of heterogeneity of the upper Floridan aquifer on ASR systems. In *Aquifer Storage Recovery IV: Science, Technology, Management and Policy, Holiday Inn Busch Gardens Tampa, Florida - April 15-16, 2004* American Ground Water Trust, FDEP/Florida Geological Survey, Hydrogeology Consortium and International Association of Hydrogeologists; 13.
- Jackson JA (ed). 1997. Glossary of Geology, 4th edition. *American Geological Institute*, Alexandria, Virginia; 769.
- Johnston RH and Miller JA. 1988. Region 24, Southeastern United States. In Back W, Rosenshein JS, Seaber PR (eds) *Hydrogeology: Boulder Colorado, Geological Society of America, The Geology of North America*, v. O-2; 229-236.
- Kincaid TR, Davies GJ, Hazlett TJ, Loper D, Dehan R, McKinlay C. 2004. Groundbreaking characterization of the karstfield Floridan aquifer in the Woodville Karst Plain of North Florida. In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 31.
- Klijin F and Witte J-PM. 1999. Eco-hydrology: Groundwater flow and site factors in plant ecology. *Hydrogeology Journal* 7: 65-77.

AQUIFER CHANNELIZATION

- Konwick B, Xia K, Black MC. 2003. Toxicity of biosolid elutriates from different wastewater treatment processes to *Ceriodaphnia dubia*. In Hatcher KJ (ed) *Proceedings of the 2003 Georgia Water Resources Conference*, held April 23-24, 2003, at the University of Georgia; 814-817.
- Krause RE and Randolph RB. 1989. *Hydrology of the Floridan Aquifer System in southeast Georgia and Adjacent Parts of Florida and South Carolina*. USGS Professional Paper 1403-D; 65 + plates.
- Lodge TE. 2005. *The Everglades Handbook: Understanding the Ecosystem - 2nd Edition*. CRC Press; 302.
- Maddox GL, Lloyd JM, Scott TM, Upchurch SB, Copeland R. 1992. Florida's Ground Water Quality Monitoring Program: Background Hydrogeochemistry. *Florida Geological Survey Special Publication No. 34*.
- Maslia ML and Prowell DC. 1990. Effect of faults on fluid flow and chloride contamination in a carbonate aquifer system. *Journal of Hydrology* 115(1-4): 1-49.
- McConnell and JB Hacke CM. 1993. Hydrogeology, Water Quality, and Water-Resources Development Potential of the Upper Floridan Aquifer in the Valdosta Area, South-Central Georgia. *US Geological Survey Water Resources Investigation Report 93-4044*; 44 + plates.
- McNeill DF. 2000. A Review of Upward Migration of Effluent Related to Subsurface Injection at Miami-Dade Water and Sewer South District Plant. Prepared for the Sierra Club - Miami Group; 30.
- Meinzer OE. 1927. Plants as Indicators of Ground Water. *US Geological Survey Water-Supply Paper 577*; 95.
- Merritt ML, Meyer FW, Sonntag WH, Fitzpatrick DJ. 1983. Subsurface Storage of Freshwater in South Florida: A Prospectus. *US Geological Survey Water Resources Investigation Report 83-4214*; 69.
- Miller JA. 1986. Hydrogeologic Framework of the Floridan Aquifer System in Florida and in Parts of Georgia, Alabama, and South Carolina. *US Geological Survey Professional Paper 1403-B*; 91 + plates.
- National Research Council. 2001. Aquifer Storage and Recovery in the Everglades Restoration Plan: A Critique of the Pilot Projects and Related Plans for ASR in the Lake Okeechobee and Western Hillsboro Areas. Washington, DC, *The National Academies Press*; 74.
- National Research Council. 2002. Regional Issues in Aquifer Storage and Recovery for Everglades Restoration, a Report of the Committee on Restoration of the Greater Everglades Ecosystem (CROGEE). Washington, DC, *The National Academies Press*; 75.
- National Research Council. 2005. Re-Engineering Water Storage in the Everglades: Risks and Opportunities. Restoration. Committee on Restoration of the Greater Everglades Ecosystem. Washington, DC, *The National Academies Press*; 128.
- Palmer AR. 2000. Engaging "my neighbor" in the issue of sustainability - Part 1: What do we mean by the global commons? *GSA Today* 10(1): 8.
- Patten TH and Klein J-G. 1989. Sinkhole formation and its effect on Peace River hydrology. In Beck BF (ed), *Proceedings of the Third Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts Karst*, St. Petersburg Beach, Florida, 2-4 October 1989. A. A. Balkema Publishers, Brookfield, VT; 25-31.
- Price RE and Pichler T. 2004. Arsenic and aquifer storage and recovery in southwest Florida: Source, abundance, and mobilization mechanism, Suwannee Limestone, upper Floridan aquifer. In *Aquifer Storage Recovery IV: Science, Technology, Management and Policy*,

AQUIFER CHANNELIZATION

- Holiday Inn Busch Gardens Tampa, Florida - April 15-16, 2004* American Ground Water Trust, FDEP/Florida Geological Survey, Hydrogeology Consortium and International Association of Hydrogeologists; 14.
- Pyne RDG. 1989. Aquifer storage recovery: A new water supply and ground water recharge alternative. In *Proceedings of the International Symposium on Artificial Recharge of Ground Water, Anaheim, California, August 23-27, 1988*; 107-121.
- Pyne RDG, McNeal MB, Horvath LE. 2004. *Analysis of Arsenic Occurrence and Attenuation in Thirteen Operational ASR Wellfields in the Floridan and Hawthorn Aquifers*. Technical Memorandum to Florida Department of Environmental Protection, November 30, 2004; 52.
- Quiñones-Aponte V, Kotun K, Whitley JF. 1996. Analysis of Tests of Subsurface Injection, Storage, and Recovery of Freshwater in the Lower Floridan Aquifer, Okeechobee County, Florida. *US Geological Survey Open-File Report 95-765*; 32.
- Raven PH, Berg LR, Johnson GB. 1995. *Environment*. Saunders College Publishing; 569.
- Reese RS. 2002. Inventory and Review of Aquifer Storage and Recovery in Southern Florida. *US Geological Survey Water Resources Investigation Report 02-4036*; 56.
- Renken RA, Shapiro AM, Cunningham KJ, Harvey RW, Zygnerski MR, Metge DW, Osborn CL, Wacker M. 2004. Pathogen transport in a sole source karst aquifer near a public well field - Will Everglades limestone mine expansion post a clear and present danger to public health? In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 396.
- Schindel GM, Johnson S, Alexander EC Jr., Worthington SRH, Davies, GJ. 2004. Quantitative tracing as a predictive tool to assess the potential impacts of hazardous materials to water supplies and environmental receptors. In *Geoscience in a Changing World: Annual Meeting and Exposition, Denver, Colorado, November 7-10, 2004* Geological Society of America; 396.
- Sharp JM Jr. 1998. Sustainable groundwater supplies - an evolving issue: examples from major carbonate aquifers of Texas, USA. In Weaver TR, Lawrence CR (eds) *Groundwater sustainable solutions. Proc Int Groundwater Conf, 8-13 Feb 1998*, Int Assoc Hydrogeologists, Melbourne; 1-12.
- Sonenshein RS and Hofstetter RH. 1990. Hydrologic Effects of Well-Field Operations in a Wetland, Dade County, Florida. *US Geological Survey Water-Resources Investigations Report 90-4143*; 16.
- Soukhanov AH and Ellis K (eds). 1984. *Webster's II New Riverside University Dictionary*. Houghton Mifflin Company; 1536.
- Southwest Florida Water Management District. 1996. Surface-Water/Ground-Water Interrelationships. *Northern Tampa Bay Water Resources Assessment Assessment Project Volume*, Brooksville, FL.
- Spechler RM. 1994. Saltwater intrusion and the quality of water in the Floridan aquifer system, northeastern Florida. *US Geological Survey Water-Resources Investigations Report 92-4174*; 76.
- Spechler RM and Phelps GG. 1997. Saltwater intrusion in the Floridan aquifer system, northeastern Florida. In Hatcher KJ (ed) *Proceedings of the 1997 Georgia Water Resources Conference, held March 20-22, 1997, at The University of Georgia, Athens, Georgia*; 398-400.
- St. Johns River Water Management District. 2004a. Baffled -- but not bemused -- in Stuart. In *Indian River Lagoon Update 12(4)*: 6.
- St. Johns River Water Management District. 2004b. Task force targets lagoon health issues. In *Indian River Lagoon Update 12(4)*: 7.

AQUIFER CHANNELIZATION

- US Army Corps of Engineers. 2004a. *Central and Southern Florida Project Comprehensive Everglades Restoration Plan: Vol. 1 - Final Aquifer Storage and Recovery Pilot Project Design Report - Lake Okeechobee ASR Pilot Project, Hillsboro ASR Pilot Project, Caloosahatchee (C-43) River ASR Pilot Project*; ~200 + Appendices.
- US Army Corps of Engineers. 2004b. *Central and Southern Florida Project Comprehensive Everglades Restoration Plan: Vol. 2 - Final Environmental Impact Statement - Lake Okeechobee ASR Pilot Project, Hillsboro ASR Pilot Project, Caloosahatchee (C-43) River ASR Pilot Project*; 184 + Appendices.
- US Council on Environmental Quality. 1997. *Considering Cumulative Effects Under The National Environmental Policy Act; Executive Office of the President*; 64 + Appendices.
- US Fish and Wildlife Service. 1995. *Second Revision Florida Panther Recovery Plan, Atlanta, Georgia*; 69.
- US Fish and Wildlife Service. 2004. *South Florida Multi-Species Recovery Plan*. Fish and Wildlife Service Reference Service, Bethesda, Maryland; 1213+ Appendices.
- Watson JD, Stedje D, Barcelo M, Stewart M. 1990. Hydrogeologic investigation of cypress dome wetlands in well field areas north of Tampa, Florida. In *Proceedings of Focus Eastern Conference*. National Water Well Association, Dublin, Ohio, USA; 163-176.
- Wilcox WM, Solo-Gabriele HM, Sternberg LO'R. 2004. Use of stable isotopes to quantify flows between the Everglades and urban areas in Miami-Dade County Florida. *Journal of Hydrology* 293: 1-19.
- Williams PW. 1985. Subcutaneous hydrology and the development of doline and cockpit karst. *Zeitschrift fur Geomorphologie NF* 29(4): 463-482.
- Wilson AM and Gorlick S. 1996. The effects of pulsed pumping on land subsidence in the Santa Clara Valley, California. *Journal of Hydrology* 174:375-396.